

EVOLVEO

MultiPort 1

www.evolveo.com

ÚVOD

Děkujeme, že jste si zakoupili dokovací stanici USB-C EVOLVEO Multiport 1. Tento výrobek vám umožní připojit 2. monitor přímo přes HDMI nebo VGA konektor. Rozlišení až 4K (HDMI) nebo 1080p (VGA). Jednoduše připojte váš monitor, klávesnici, myš, USB disk atd. přes USB-C kabel k vašemu MacBooku. Je to nejlepší způsob, jak MacBook rozšířit a proměnit jej tak v plnohodnotnou pracovní jednotku.

Obsah balení

Dokovací stanice USB-C Multiport

USB-C 3.1 kabel, 10 Gbps

Uživatelská příručka

Systémové požadavky

Windows/Mac/Chrome OS

Popis zařízení



- ① USB-C nabíjecí port (max. 20.3 V/3 A (PD2.0))
- ② USB-C vstup pro připojení MacBooku
- (Důležité upozornění: Značky "V" na výrobku i na kabelu musí být na stejné straně)**
- ③ USB 3.0 port pro připojení myši, klávesnice, USB hard disku apod.
- ④ 4K*2K HDMI výstup, max. rozlišení 3840 x 2160p @ 30 Hz
- ⑤ 1080p VGA výstup, max. rozlišení 1080p @ 60 Hz
- ⑥ Vstup pro reproduktory

Technické údaje

Rozhraní	
Hostitelské rozhraní	USB 3.1 typ C konektor
Kabel	USB 3.1 C-C kabel
Video rozhraní	Standardní konektor HDMI samice (s Audio)
Video rozhraní	Standardní konektor VGA samice
USB port	USB 3.1 konektor samice x 1 Podpora Super-speed USB (5Gbps) / High-speed (480Mb/s) / Full-speed (10Mb/s). V souladu s UASP (USB Attached SCSI Protocol) revize 1.0
Audio konektor	Reproduktory: 3.5 mm stereo audio výstup

Napájení	
Napájecí zdroj	Vstup: AC 100-240 V, 50~60 Hz Výstup: 20.3 V/3 A (US PD) nebo 9 V/3 A (US PD) nebo 5.2 V/2.4 A
Režim napájení	Podpora max. 20.3 V/3 A při nabíjení
Funkce	
Displej	HDMI rozlišení: max. 3840 x 2160 @ 30 Hz VGA rozlišení: max. 1080p @ 60 Hz Režim displeje: Základní, rozšířený, zrcadlový Otočení displeje: 0 °, 90 °, 180 °, 270 °
Další údaje	
Rozměry	Tělo výrobku: 205(D) x 33,7(Š) x 33,7(V) mm Délka kabelu: 30 cm
Svrchní materiál	Hliník

Záruka se NEVZTAHUJE na:

- používání zařízení pro jiné účely, než ke kterým je navrženo,
- instalaci jiného firmwaru než toho, který byl do zařízení instalován výrobcem, nebo toho, který lze stáhnout ručně či automaticky z nabídky zařízení,
- mechanické poškození způsobené nesprávným zacházením nebo přírodními živly (ohněm, vodou, statickou elektřinou, přepětím atd.),

- škody způsobené opravami prováděnými nekvalifikovanou osobou,
- poškození záruční pečeti nebo na nečitelné výrobní číslo zařízení.



Likvidace: Symbol přeškrtnutého kontejneru na výrobku, v příložené dokumentaci či na obalech znamená, že ve státech Evropské Unie musí být veškerá elektrická a elektronická zařízení, baterie a akumulátory po skončení jejich životnosti likvidovány odděleně v rámci tříděného odpadu. Nevyhazujte tyto výrobky do netříděného komunálního odpadu.

PROHLÁŠENÍ O SHODĚ

Tímto společnost ABACUS Electric, s.r.o. prohlašuje, že výrobek EVOLVEO MultiPort 1 splňuje požadavky norem a předpisů, které jsou relevantní pro daný typ zařízení.

Plné znění Prohlášení o shodě naleznete na
<ftp://ftp.evolveo.com/ce>

Copyright © ABACUS Electric, s.r.o.
www.evolveo.com
www.facebook.com/EvolveoCZ

Všechna práva vyhrazena.

Konstrukce a technická specifikace výrobku se mohou změnit bez předchozího upozornění.

INTRODUCTION

Thank you for purchasing the USB-C EVOLVEO Multiport 1 Docking Station! This product enables you to add a 2nd monitor instantly via HDMI or VGA connectors. Resolution up to 4K(HDMI) or 1080P(VGA). When you need to get things done fast, simply connect your monitor, keyboard/ mouse/U disk, etc. to your macbook with a single USB Type-C cable. It is the perfect solution for expanding your macBook into a full sized workstation.

Package Contents

USB-C Multiport Dock
USB 3.1 Type-C cable 10Gb/S
User Manual

System Requirements

Windows/Mac/Chrome OS

How it Work



- ① USB-C charging port support max 20.3V/3A (PD2.0)
- ② USB-C input for connecting Macbook
(Important notice: Keep the two "V" of cable and product on the same side)
- ③ USB3.0 ,for mouse, keyboard, USB hard disk etc
- ④ 4K*2K HDMI output , 3840 x 2160P@30Hz(Max)
- ⑤ 1080P VGA output,1080P@60Hz(Max)
- ⑥ Speaker

Specifications

Interface	
Host Interface	USB3.1 Type-C Connector
Cable	USB3.1 C to C cable
Video Interface	Standard HDMI Female Connector (with Audio)
Video Interface	Standard VGA Female Connector
USB Port	USB3.1 Female Connector x 1 Supports USB Super-speed(5Gbps) / High-speed(480Mb/s) / Full-speed(10Mb/s) operation. USB Attached SCSI Protocol Revision 1.0 Compliance
Audio Jack	Speaker: 3.5 mm stereo audio out

Power	
Support Power Adapter	Input: AC 100-240V, 50~60 Hz Output: 20.3V/3A (US PD) or 9V/3A (US PD) or 5.2V/2.4A
Power Mode	Support max 20.3V/3A for Charging
Functions	
Display	HDMI Display resolution: 3840x2160@30H(Max) VGA Display resolution: 1080P@60Hz(Max) Display Modes: Primary, Extended, Mirror Display Rotation: 0°, 90°, 180°, 270°
Physical Specifications	
Dimensions	Main body: 205(L)x 33.7(W)x33.7 (H) mm Cable length: 30cm
Housing Material	Aluminum

The warranty DOESN'T APPLY to:

- using the device for other purposes than it was designed to
- installation of another firmware then the one that was installed as the original from the factory or firmware that can be downloaded manually or automatically from the device menu

- mechanical damage of caused by inappropriate using
- damage caused by the natural elements as fire, water, static electricity, overvoltage and so on
- damage caused by unauthorized repair
- damage of the guarantee seal or unreadable serial number of the device



— Disposal: The symbol of crossed out container on the product, in the literature or on the wrapping means that in the European Union all the electric and electronic products, batteries and accumulators must be placed into the separate salvage after finishing their lifetime. Do not throw these products into the unsorted municipal waste



DECLARATION OF CONFORMITY

Hereby, the company Abacus Electric, s.r.o. declares that the EVOLVEO MultiPort 1 is in compliance with the requirements of the standards and regulations, relevant for the given type of device.

Find the complete text of Declaration of Conformity at
<ftp://ftp.evolveo.com/ce>

Copyright © Abacus Electric, s.r.o.
www.evolveo.com
www.facebook.com/EvolveoCZ

All rights reserved.
Design and specification may be changed without prior notice.